Nuclear Engineering and Design 100 (1987) 519–520
North-Holland, Amsterdam

AUTHOR INDEX TO VOLUME 100

Aberle, J., see Schleisiek 100 (1987) 435
Almenas, K., K.-H. Scholl and H. Hunger, Experimental verification of accident loads for PWR containments 100 (1987) 103
Ashida, F., see Noda 100 (1987) 65
Azizinamini, A., see Hanson 100 (1987) 129

Bayer, A., see Kessler 100 (1987) 475
Benuzzi, A., Comparison of different LMFBR primary containment codes applied to a benchmark problem 100 (1987) 239
Blejwas, T.E., see Clauss 100 (1987) 189
Bottoni, M., B. Dorr, Ch. Homann and D. Struwe, State of development of the computer programme BACCHUS-3D/TP for the description of transient two-phase flow conditions in LMFBR fuel pin bundles 100 (1987) 321
Bottoni, M. and G. Willerding, Advanced solution algorithms for transient multidimensional thermohydraulic flow problems in complex geometries with the programme COMMIX-2/KfK 100 (1987) 351
Breitung, W., see Royl 100 (1987) 387
Brown, D.G., see Huterer 100 (1987) 21

Clauss, D.B., D.S. Horschel and T.E. Blejwas, Insights into the behaviour of LWR steel containment buildings during severe accidents 100 (1987) 189
Costaz, J.L., Nuclear containment in France 100 (1987) 151

Dattaguru, B., see Sundar Raj 100 (1987) 41
Dorr, B., see Bottoni 100 (1987) 321

Eberle, F., see Hailfinger 100 (1987) 315

Fischer, E.A., see Royl 100 (1987) 387
Fischer, M., Utilization of solar and nuclear energy for hydrogen production 100 (1987) 501

Gauntt, R.O., see Royl 100 (1987) 387
Göller, B., R. Krieg, G. Messemer and E. Wolf, On the failure of spherical steel containments under excessive internal pressure, 100 (1987) 205
Grötzbach, G., see Peppler 100 (1987) 409

Ha, E.C., see Huterer 100 (1987) 21
Hailfinger, G., F. Eberle, J. Kadlec and R. Krieg, Vibrations of a fluid filled cylindrical shell excited by an oscillating piston in the fluid – Comparison between measurements and calculations 100 (1987) 315
Hanson, N.W., D.M. Schultz, J.J. Roller, A. Azizinamini and H.T. Tang, Testing of large-scale concrete containment structural elements 100 (1987) 129
Hardy, P.G. and H.J. Richter, Small break loss of coolant accidents: Bottom and side break 100 (1987) 75
Hassmann, K., see Reimann 100 (1987) 93
Hennies, H.-H., Preface 100 (1987) 253
Hoffmann, G., see Jacobi 100 (1987) 447
Homann, Ch., see Bottoni 100 (1987) 321
Horschel, D.S., see Clauss 100 (1987) 189
Hosemann, J.P., see Reimann 100 (1987) 93
Huber, F., see Kaiser 100 (1987) 367
Huber, F., A. Kaiser, K. Mattes and W. Peppler, Steady state and transient sodium boiling experiments in a 37-pin bundle 100 (1987) 377
Hunger, H., see Almenas 100 (1987) 103
Huterer, J., D.G. Brown, M.A. Osman and E.C. Ha, Pressure relief structures of multi-unit *Candu* nuclear power plants 100 (1987) 21

Jacobi, S., see Schleisiek 100 (1987) 435
Jacobi, S., G. Hoffmann, D. Klein and G. Schmitz, Core surveillance of liquid metal fast breeder reactors by delayed neutron signals 100 (1987) 447
Jiang Fu-zeng, see Wang Chuan-zhi 100 (1987) 157

Kadlec, J., see Hailfinger 100 (1987) 315
Kaiser, A. and F. Huber, Sodium boiling experiments at low power under natural convection conditions 100 (1987) 367
Kaiser, A., see Huber 100 (1987) 377
Karsten, G., see Schleisiek 100 (1987) 435
Kessler, G. and A. Bayer, Safety aspects and environmental impact of an inertial confinement fusion reactor 100 (1987) 475
Klein, D., see Jacobi 100 (1987) 447
Koenig, L.N. and C.V. Subramanian, Leakage potential of LWR containment penetrations under severe accident conditions 100 (1987) 121
Krieg, R., see Göller 100 (1987) 205

Krieg, R., see Hailfinger 100 (1987) 315
Krishnamurthy, T., see Sundar Raj 100 (1987) 41
Kutbi, I.I., A pragmatic pairwise group-decision method for selection of sites for nuclear power plants 100 (1987) 49

Lancefield, M.J., Assessment of CDFR primary containment capability under HCDA loading 100 (1987) 221

Malmberg, T., Analysis of a proposal for the simplified determination of critical loads of elastic shells 100 (1987) 263
Malmberg, T., see Schinke 100 (1987) 281
Mattes, K., see Huber 100 (1987) 377
Messemer, G., see Göller 100 (1987) 205
Meyder, R., Modelling of transient fuel rod behaviour and core damage during loss of coolant accidents in a light water reactor 100 (1987) 307
Misu, St., see Peppler 100 (1987) 409

Noda, N. and F. Ashida, Three-dimensional transient thermal stresses of reactor graphite subjected to internal heat generation and asymmetric surface heating 100 (1987) 65

Osman, M.A., see Huterer 100 (1987) 21

Peppler, W., see Huber 100 (1987) 377
Peppler, W., H. Will, St. Misu and G. Grötzbach, Investigation of material relocation phenomena during severe accidents in fast breeder reactors 100 (1987) 409

Rahn, A., see Schleisiek 100 (1987) 435
Ramamurthy, T.S., see Sundar Raj 100 (1987) 41
Reimann, M., J.P. Hosemann and K. Hassmann, Containment loadings during hypothetical core melt accidents 100 (1987) 93
Richter, H.J., see Hardy 100 (1987) 75
Roller, J.J., see Hanson 100 (1987) 129
Royl, P., W. Breitung, E.A. Fischer, G. Schumacher, R.O. Gauntt and S.A. Wright, Contributions from the ACRR in-pile experiments to the understanding of key phenomena influencing unprotected loss of flow accident simulations in LMFBR's 100 (1987) 387

Schinke, B. and T. Malmberg, Dynamic tensile tests with superimposed ultrasonic oscillations for stainless steel type 321 at room temperature 100 (1987) 281
Schlechtendahl, E.G., CAD supported remote handling systems for fusion reactors 100 (1987) 461
Schleisiek, K., J. Aberle, S. Jacobi, G. Karsten, A. Rahn, L. Schmidt, G. Vanmassenhove and A. Verwimp, Mol 7C experiments on local fault propagation in irradiated LMFBR fuel subassemblies 100 (1987) 435
Schmidt, L., see Schleisiek 100 (1987) 435
Schmitz, G., see Jacobi 100 (1987) 447
Schnauder, H. and A. Wickenhäuser, Potential influence of reliability analysis on component design in fusion reactors 100 (1987) 489
Scholl, K.-H., see Almenas 100 (1987) 103
Schultheiss, G.F., On local blockage formation in sodium cooled reactors 100 (1987) 427
Schultz, D.M., see Hanson 100 (1987) 129
Schumacher, G., see Royl 100 (1987) 387
Schumann, U., The countergradient heat flux in turbulent stratified flows 100 (1987) 255
Struwe, D., see Bottoni 100 (1987) 321
Subramanian, C.V., see Koenig 100 (1987) 121
Sundar Raj, N., B. Dattaguru, T. Krishnamurthy and T.S. Ramamurthy, Analysis of flange joints with elastic bolt 100 (1987) 41

Tang, H.T., see Hanson 100 (1987) 129

Vanmassenhove, G., see Schleisiek 100 (1987) 435
Verwimp, A., see Schleisiek 100 (1987) 435

Wang, Chuan-zhi, Tai-Jun Wang, Fu-zeng Jiang and Zu-feng Xia, Investigations of PCRV and nuclear reactor containments in China 100 (1987) 157
Wang Tai-jun, see Wang Chuan-zhi 100 (1987) 157
Wickenhäuser, A., see Schnauder 100 (1987) 489
Will, H., see Peppler 100 (1987) 409
Willerding, G., see Bottoni 100 (1987) 351
Wirtz, P., The erection and commissioning of the Mülheim-Kärlich Nuclear Power Plant 100 (1987) 297
Wolf, E., see Göller 100 (1987) 205
Wright, S.A., see Royl 100 (1987) 387

Xia Zu-feng, see Wang Chuan-zhi 100 (1987) 157

Zahoor, A., Evaluation of *J*-integral estimation scheme for flawed throughwall pipes 100 (1987) 1
Zahoor, A., Evaluation of throughwall crack pipes under displacement controlled loading 100 (1987) 11

Nuclear Engineering and Design 100 (1987) 521–523
North-Holland, Amsterdam

SUBJECT INDEX TO VOLUME 100

Thermal and fluid design

Small break loss of coolant accidents: Bottom and side break, P.G. Hardy and H.J. Richter 100 (1987) 75
State of development of the computer programme BACCHUS-3D/TP for the description of transient two-phase flow conditions in LMFBR fuel pin bundles, M. Bottoni, B. Dorr, Ch. Homann and D. Struwe 100 (1987) 321
Sodium boiling experiments at low power under natural convection conditions, A. Kaiser and F. Huber 100 (1987) 367
Steady state and transient sodium boiling experiments in a 37-pin bundle, F. Huber, A. Kaiser, K. Mattes and W. Peppler 100 (1987) 377

Heat conduction and transfer

The countergradient heat flux in turbulent stratified flows, U. Schumann 100 (1987) 255

Fluid dynamics

Vibrations of a fluid filled cylindrical shell excited by an oscillating piston in the fluid – Comparison between measurements and calculations, G. Hailfinger, F. Eberle, J. Kadlec and R. Krieg 100 (1987) 315
Advanced solution algorithms for transient multidimensional thermohydraulic flow problems in complex geometries with the programme COMMIX-2/KfK, M. Bottoni and G. Willerding 100 (1987) 351

Engineering mechanics

Pressure relief structures of multi-unit *candu* nuclear power plants, J. Huterer, D.G. Brown, M.A. Osman and E.C. Ha 100 (1987) 21
Analysis of flange joints with elastic bolt, N. Sundar Raj, B. Dattaguru, T. Krishnamurthy and T.S. Ramamurthy 100 (1987) 41
A pragmatic pairwise group-decision method for selection of sites for nuclear power plants, I.I. Kutbi 100 (1987) 49
Three-dimensional transient thermal stresses of reactor graphite subjected to internal heat generation and asymmetric surface heating, Naotake Noda and Fumihiro Ashida 100 (1987) 65
Analysis of a proposal for the simplified determination of critical loads of elastic shells, T. Malmberg 100 (1987) 263

Materials properties

Evaluation of *J*-integral estimation scheme for flawed throughwall pipes, A. Zahoor 100 (1987) 1
Evaluation of throughwall crack pipes under displacement controlled loading, A. Zahoor 100 (1987) 11
Dynamic tensile tests with superimposed ultrasonic oscillations for stainless steel type 321 at room temperature, B. Schinke and T. Malmberg 100 (1987) 281

Mechanical design, component fabrication and testing

Evaluation of *J*-integral estimation scheme for flawed throughwall pipes, A. Zahoor 100 (1987) 1
Evaluation of throughwall crack pipes under displacement controlled loading, A. Zahoor 100 (1987) 11

Reactor concepts and systems analysis

The erection and commissioning of the Mülheim-Kärlich Nuclear Power Plant, P. Wirtz 100 (1987) 297
Safety aspects and environmental impact of an inertial confinement fusion reactor, G. Kessler and A. Bayer 100 (1987) 475

Layout of nuclear facilities

Safety aspects and environmental impact of an inertial confinement fusion reactor, G, Kessler and A. Bayer 100 (1987) 475
Utilization of solar and nuclear energy for hydrogen production, M. Fischer 100 (1987) 501

Structural design, construction methods and testing

Containment loadings during hypothetical core melt accidents, M. Reimann, J.P. Hosemann and K. Hassmann 100 (1987) 93

Experimental verification of accident loads for PWR containments, K. Almenas, K.-H. Scholl and H. Hunger 100 (1987) 103
Leakage potential of LWR containment penetrations under severe accident conditions, L.N. Koenig and C.V. Subramanian 100 (1987) 121
Testing of large-scale concrete containment structural elements, N.W. Hanson, D.M. Schultz, J.J. Roller, A. Azizinamini and H.T. Tang 100 (1987) 129
Nuclear containment in France, J.L. Costaz 100 (1987) 151
Investigations of PCRV and nuclear reactor containments in China, Chuan-zhi Wang, Tai-Jun Wang, Fu-zeng Jiang and Zu-feng Xia 100 (1987) 157
Insights into the behaviour of LWR steel containment buildings during severe accidents, D.B. Clauss, D.S. Horschel and T.E. Blejwas 100 (1987) 189
On the failure of spherical steel containments under excessive internal pressure, B. Göller, R. Krieg, G. Messemer and E. Wolf 100 (1987) 205
Assessment of CDFR primary containment capability under HCDA loading, M.J. Lancefield 100 (1987) 221
Comparison of different LMFBR primary containment codes applied to a benchmark problem, A. Bonuzzi 100 (1987) 239

System control and controls

Core surveillance of liquid metal fast breeder reactors by delayed neutron signals, S. Jacobi, G. Hoffmann, D. Klein and G. Schmitz 100 (1987) 447
CAD supported remote handling systems for fusion reactors, E.G. Schlechtendahl 100 (1987) 461
Potential influence of reliability analysis on component design in fusion reactors, H. Schnauder and A. Wickenhäuser 100 (1987) 489

Core physics and fuel design

Modelling of transient fuel rod behaviour and core damage during loss of coolant accidents in a light water reactor, R. Meyder 100 (1987) 307
State of development of the computer programme BACCHUS-3D/TP for the description of transient two-phase flow conditions in LMFBR fuel pin bundles, M. Bottoni, B. Dorr, Ch. Homann and D. Struwe 100 (1987) 321
Sodium boiling experiments at low power under natural convection conditions, A. Kaiser and F. Huber 100 (1987) 367
Steady state and transient sodium boiling experiments in a 37-pin bundle, F. Huber, A. Kaiser, K. Mattes and W. Peppler 100 (1987) 377
Contributions from the ACRR in-pile experiments to the understanding of key phenomena influencing unprotected loss of flow accident simulations in LMFBR's, P. Royl, W. Breitung, E.A. Fischer, G. Schumacher, R.O. Gauntt and S.A. Wright 100 (1987) 387
Investigation of material relocation phenomena during severe accidents in fast breeder reactors, W. Peppler, H. Will, St. Misu and G. Grötzbach 100 (1987) 409
On local blockage formation in sodium cooled reactors, G.F. Schultheiss 100 (1987) 427
Mol 7C experiments on local fault propagation in irradiated LMFBR fuel subassemblies, K. Schleisiek, J. Aberle, S. Jacobi, G. Karsten, A. Rahn, L. Schmidt, G. Vanmassenhove and A. Verwimp 100 (1987) 435
Core surveillance of liquid metal fast breeder reactors by delayed neutron signals, S. Jacobi, G. Hoffmann, D. Klein and G. Schmitz 100 (1987) 447

Nuclear safety

Small break loss of coolant accidents: Bottom and side break, P.G. Hardy and H.J. Richter 100 (1987) 75
Containment loadings during hypothetical core melt accidents, M. Reimann, J.P. Hosemann and K. Hassmann 100 (1987) 93
Experimental verification of accident loads for PWR containments, K. Almenas, K.-H. Scholl and H. Hunger 100 (1987) 103
Leakage potential of LWR containment penetrations under severe accident conditions, L.N. Koenig and C.V. Subramanian 100 (1987) 121
Testing of large-scale concrete containment structural elements, N.W. Hanson, D.M. Schultz, J.J. Roller, A. Azizinamini and H.T. Tang 100 (1987) 129
Nuclear containment in France, J.L. Costaz 100 (1987) 151
Investigations of PCRV and nuclear reactor containments in China, Chuan-zhi Wang, Tai-Jun Wang, Fu-zeng Jiang and Zu-feng Xia 100 (1987) 157
Insights into the behaviour of LWR steel containment buildings during severe accidents, D.B. Clauss, D.S. Horschel and T.E. Blejwas 100 (1987) 189
On the failure of spherical steel containments under excessive internal pressure, B. Göller, R. Krieg, G. Messemer and E. Wolf 100 (1987) 205

Assessment of CDFR primary containment capability under HCDA loading, M.J. Lancefield 100 (1987) 221
Comparison of different LMFBR primary containment codes applied to a benchmark problem, A. Benuzzi 100 (1987) 239
Contributions from the ACRR in-pile experiments to the understanding of key phenomena influencing unprotected loss of flow accident simulations in LMFBR's, P. Royl, W. Breitung, E.A. Fischer, G. Schumacher, R.O. Gauntt and S.A. Wright 100 (1987) 387